Australian Journal of Agricultural Research

Index to Volume 48

Abbott LK. See Braunberger PG 103

Abbott RJ. See Elliott DE 855, 869, 883, 899

Abrecht DG. See Regan KL 595

Adams NR, Briegel JR, Ritchie AJM. Wool and liveweight responses to nutrition by Merino sheep genetically selected for high or low staple strength. 1129

Adisarwanto T, Knight R. Effect of sowing date and plant density on yield and yield components in the faba bean. 1161

Adkins SW. See Damasco OP 377.

See Tanpipar S 695

Aisthorpe R. See Miller SM 403

Alamdar MZ. See van Leur JAG 351

Alston AM. See Lotfollahi M 241

Anderson WK, Crosbie GB, Lambe WJ. Production practices in Western Australia for wheats suitable for white, salted noodles. 49

Archer KA. See Pearson CJ 453

Armstrong EL, Heenan DP, Pate JS, Unkovich MJ. Nitrogen benefits of lupins, field pea, and chickpea to wheat production in south-eastern Australia. 39

Arthur PG. See Kennaugh LM 1105

Atkins CA. See Reader MA 1169, 1179

Ayres JF. See McPhee MJ 831

Balnave D. See Gorman I 703, 709

Bange MP, Hammer GL, Rickert KG. Environmental control of potential yield of sunflower in the subtropics. 231

Barnes MJ. See White CL 1081

Barnett JL, Newman EA. Review of welfare research in the laying hen and the research and management implications for the Australian egg industry. 385

Barton L. See McLay CDA 1025 Basford KE. See Fabrizius MA 605

Bell MJ, McLaughlin MJ, Wright GC, Cruickshank A. Interand intra-specific variation in accumulation of cadmium by peanut, soybean, and navybean. 1151

Bellotti WD. See Ru YJ 977. See Crawford MC 1139

Bennett SJ. Genetic variation between and within two populations of Trifolium glomeratum (cluster clover) in Western Australia. 969

Berding N. See Gallacher DJ 759

Berger KT. See McCrabb GJ 323 Birch CJ, Fukai S, Broad IJ. Estimation of responses of yield and grain protein concentration of malting barley to nitrogen fertiliser using plant nitrogen uptake. 635

Blackall LL. See Miller SM 403

Blair GJ. See Lefroy RDB 485. See Sholeh 497. See Conteh A 1049

Blumenthal MJ. See Kelman WM 959

Boersma M. See Tanpipar S 695

Bootle B. See Pearson CJ 453

Bottema CDK. See Malau-Aduli AEO 715

Bradfield MJ, Graser H-U, Johnston DJ. Investigation of genotype × production environment interaction for weaning weight in the Santa Gertudis breed in Australia.

Brake J. See Gorman I 709

Braunberger PG, Abbott LK, Robson AD. Early vesiculararbuscular mycorrhizal colonisation in soil collected from an annual clover-based pasture in a mediterranean environment: soil temperature and the timing of autumn rains. 103

Brennan PS. See Lawson WR 215

Briegel JR. See Adams NR 1129

Broad IJ. See Birch CJ 635. See Hammer GL 649

Brown R. See Pearson CJ 453 Callinan L. See Ridley AM 1011

Chamberlain NL. See Mata G 1111

Chaudhary BS. See Ram B 207

Clarke RG, Villalta ON, Hepworth G. Evaluation of resistance to five isolates of Puccinia coronata f. sp. lolii in 19 perennial ryegrass cultivars. 191

Cocks PS. See Gibberd MR 223. See Dear BS 683

Collins WJ. See Pearson CJ 453

Conteh A, Blair GJ, Macleod DA, Lefroy RDB. Soil organic carbon changes in cracking clay soils under cotton production as studied by carbon fractionation. 1049

Conyers MK. See Scott BJ 843 Cook DF. See Seaton KA 781

Cooper M. See Lawson WR 215.

See Fabrizius MA 605

Crawford MC, Grace PR, Bellotti WD, Oades JM. Root production of a barrel medic (Medicago truncatula) pasture, a barley grass (Hordeum leporinum) pasture, and a faba bean (Vicia faba) crop in southern Australia. 1139

Crocker GJ. See Holford ICR 305

Crosbie GB. See Anderson WK 49

Cruickshank A. See Bell MJ 1151 Curll ML. See McPhee MJ 831

Cullis BR. See Helyar KR 561. See Scott BJ 843

Culvenor RA. Observations on tillering in cultivars of phalaris under rotational grazing in a year with a summer-autumn drought. 467

Damasco OP, Smith MK, Godwin ID, Adkins SW, Smillie RM, Heatherington SE. Micropropagated dwarf off-type Cavendish bananas (Musa spp., AAA) show improved tolerance to suboptimal temperatures. 377

Darvey NL. See Suenaga K 1207

Davies SC, Williams IH, White CL, Hocking Edwards JE. Tunicamycin reduces wool growth by slowing the mitotic activity of wool follicles. 331

Davis RI, Schneider B, Gibb KS. Detection and differentiation of phytoplasmas in Australia. 535

Dear BS, Cocks PS. Effect of perennial pasture species on surface soil moisture and early growth survival of subterranean clover (Trifolium subterraneum L.) seedlings. 683

Ding Z, Rowe JB, Godwin IR, Xu Y. The buffering capacity of caecal digesta exceeds that of rumen digesta from sheep fed pasture or roughage diets. 723

Dracup M. See Reader MA 1169, 1179

Duthion C. See Munier-Jolain NM 913

Eady SJ. See Miller SM 1121

Earl CR. See Hynd PI 1089

Earl CR, Kotaras PJ. Oocyte retrieval and in vitro embryo production in sheep and cattle: current status and future perspectives. 125

Easton HS, Mackay AD, Lee J. Genetic variation for macro- and micro-nutrient concentration in perennial ryegrass (Lolium perenne L.). 657

Elliott DE, Reuter DJ, Reddy GD, Abbott RJ. Phosphorus nutrition of spring wheat (Triticum aestivum L.). 1. Effects of phosphorus supply on plant symptoms, yield, components of yield, and plant phosphorus uptake. 855.

2. Distribution of phosphorus in glasshouse-grown wheat and the diagnosis of phosphorus deficiency by plant analy-

sis. 869.

3. Effects of plant nitrogen status and genotype on the calibration of plant tests for diagnosing phosphorus defi-

4. Calibration of plant phosphorus test criteria from rain-fed

field experiments. 899

Fabrizius MA, Cooper M, Basford KE. Genetic analysis of variation for grain yield and protein concentration in two wheat crosses. 605

Farquhar GD. See Hammer GL 649

Fathi G, McDonald GK, Lance RCM. Effects of post-anthesis water stress on the yield and and grain protein concentration of barley grown at two levels of nitrogen. 67

Ferris DG. See Njeru R 343

Fillery IRP. See McNeill AM 295.

See Thompson RB 1033

Flood RG. See Kernich GC 59

Ford R, Taylor PWJ. The application of RAPD markers for potato cultivar identification. 1213

Fortune JA. See Ru YJ 977, 1199

Fukai S. See Birch CJ 635 Furniss K. See Helyar KR 561

Gallacher DJ. Evaluation of sugarcane morphological descriptors using variance component analysis. 769.

Optimised descriptors recommended for Australian sugarcane germplasm (Saccharum spp. hybrid). 775

Gallacher DJ, Berding N. Purpose, selection, and application of descriptors for sugarcane germplasm. 759

Gibb KS. See Davis RI 535

Gibberd MR, Cocks PS. Effect of waterlogging and soil pH on the micro-distribution of naturalised annual legumes. 223

Glencross BD, Mullan BP, Tuckey RC, Hartmann PE. A simplification of the deuterium oxide dilution technique using FT-IR analysis of plasma, for estimating piglet milk intake. 1099

Godwin ID. See Lawson WR 215. See Damasco OP 377

Godwin IR. See Ding Z 723

Goh KM, Nguyen ML. Estimating net annual soil sulfur mineralisation in New Zealand grazed pastures using mass balance models. 477

Good AJ. See Holford ICR 1187

Gorman I, Balnave D, Brake J. The effect of altering the dietary arginine to lysine ratio on the breast meat yield of broiler chickens at moderate and high temperatures. 709

Gorman I, Balnave D, Roberts JR. Effect of temperature and dietary sodium bicarbonate supplementation on the mineral excretion of broilers. 703

Grace PR. See Crawford MC 1139

Gras PW. See Preston KR 587

Graser H-U. See Bradfield MJ 1

Haak MI. See Thompson JP 553

Hajimorad MR. See Jayasena KW 503

Halloran GM. See Kernich GC 59

Hammer GL. See Bange MP 231. See Meinke H 789 Hammer GL, Farquhar GD, Broad IJ. On the extent of genetic

variation for transpiration efficiency in sorghum. 649

Hardie DC. See Seaton KA 781

Hardy A, Huyghe C, Papineau J. Dry matter accumulation and partitioning, and seed yield in indeterminate Andean lupin (Lupinus mutabilis Sweet). 91

Hargreaves PA. See Walker SR 1003

Harper CML. See Harper GS 155

Harper GS, King TJ, Hill BD, Harper CML, Hunter RA. Effect of coal mine pit water on the productivity of cattle. II. Effect of increasing concentrations of pit water on feed intake and health. 155

Harris CA. See Kelman WM 959

Harris PM, Sinclair BR, Treloar BP, Lee J. Short-term changes in whole body and skin sulfur amino acid metabolism of sheep in response to supplementary cysteine. 137

Hartmann PE. See Glencross BD 1099.

See Kennaugh LM 1105

Hatfield RD. See Wilson JR 165

Heap JW. Biology and control of Reseda lutea L. 1. Seed biology and seedling growth. 511.

2. Life cycle: seedling emergence, recruitment, and vegetative reproduction. 517

Heatherington SE. See Damasco OP 377

Heenan DP. See Armstrong EL 39

Helyar KR, Cullis BR, Furniss K, Kohn GD, Taylor AC (the late). Changes in the acidity and fertility of a red earth soil under wheat-annual pasture rotations. 561

Henry DA, Simpson RJ, Macmillan RH. Intrinsic shear strength of leaves of pasture grasses and legumes.

Henskens FLF. The biology and management of Axonopus affinis (Chase) in Australian pastures. 1219

Hepworth G. See Clarke RG 191

Heuer B. See Nadler A 923

Hill BD. See Harper GS 155

Hocking AD. See Webley DJ 1249

Hocking Edwards JE. See Davies SC 331

Holford ICR, Crocker GJ. A comparison of chickpeas and pasture legumes for sustaining yields and nitrogen status of subsequent wheat. 305

Holford ICR, Holland JF, Good AJ, Leckie C. Yield and protein responses to nitrogen, and nitrogen fertiliser requirements of grain sorghum, in relation to soil nitrate levels. 1187

Holland JF. See Holford ICR 1187

Hu FD, Jones RJ. Effects of plant extracts of Bothriochloa pertusa and Urochloa mosambicensis on seed germination and seedling growth of Stylosanthes hamata cv. Verano and Stylosanthes scabra cv. Seca. 1257

Huett DO. Fertiliser use efficiency by containerised nursery plants. 1. Plant growth and nutrient uptake. 251.

2. Nutrient leaching. 259 Hughes A. See Hynd PI 1089

Hunter RA. See Harper GS 155. See McCrabb GJ 323

Huyghe C. See Hardy A 91

Hynd PI, Hughes A, Earl CR, Penno NM. Seasonal changes in the morphology of wool follicles in Finewool and Strongwool Merino strains grazing at different stocking rates in southern Australia. 1089

Ingham BJ. See Jayasena KW 503

Irwin JAG. See Liew ECY 545

Irwin JAG, Maxwell DP, Smith RR. Expression of resistance by tetraploid and diploid lucerne genotypes to Phytophthora medicaginis is not influenced by inoculum level or by temperature. 181

Jackson KL. See Webley DJ 1249

James RA, Kirkegaard JA, Munns R. Contribution of Rhizoctonia to reduced seedling growth of direct-drilled wheat: studies with intact cores. 1231

Jayasena KW, Ingham BJ, Hajimorad MR, Randles JW. The sense and antisense coat protein gene of alfalfa mosaic virus strain N20 confers protection in transgenic tobacco plants. 503

Johnston DJ. See Bradfield MJ 1

Jones MGK. See Njeru R 343

Jones RAC. See McKirdy SJ 31, 199. See Njeru R 343.
See Latham LJ 359. See Pathipanawat W 989

Jones RJ. See Hu FD 1257

Kelly KB. See Lawson AR 811, 819

Kelly RW. See McNeill DM 743, 753

Kelman WM, Blumenthal MJ, Harris CA. Genetic variation for seasonal herbage yield, growth habit, and condensed tannins in Lotus pedunculatus Cav. and Lotus corniculatus L. 959

Kennaugh LM, Arthur PG, Hartmann PE. The concentration of creatine and creatine phosphate in sow colostrum and milk throughout lactation and weaning. 1105

Kernich GC, Halloran GM, Flood RG. Variation in duration of pre-anthesis phases of development in barley (*Hordeum vulgare*). 59

Khawatmi S. See van Leur JAG 351

King TJ. See Harper GS 155

Kinghorn BP. See Montgomery GW 729

Kingston TJ. See Lobry de Bruyn LA 1059

Kirkegaard JA. See James RA 1231

Klieve AV. See Miller SM 403

Knight R. See Adisarwanto T 1161

Kohn GD. See Helyar KR 561

Kotaras PJ. See Earl CR 125

Kumagai H. See White CL 1081

Lambe WJ. See Anderson WK 49

Lance RCM. See Fathi G 67

Latham LJ, Jones RAC. Occurrence of tomato spotted wilt tospovirus in native flora, weeds, and horticultural crops. 359

Lawson AR, Kelly KB, Sale PWG. Effect of defoliation frequency on an irrigated perennial pasture in northern Victoria. 1. Seasonal production and sward composition. 811.

2. Individual plant morphology. 819

Lawson WR, Godwin ID, Cooper M, Brennan PS. Genetic analysis of preharvest sprouting tolerance in three wheat crosses. 215

Leckie C. See Holford ICR 1187

Lee J. See Harris PM 137. See Easton HS 657

Lefroy RDB. See Sholeh 497. See Conteh A 1049

Lefroy RDB, Sholeh, Blair G. Influence of sulfur and phosphorus placement, and sulfur particle size, on elemental sulfur oxidation and the growth response of maize (Zea mays). 485

Lelièvre F. See Volaire F 933

Liew ECY, Irwin JAG. Differential disease reactions on lucerne genotypes inoculated with *Phytophthora medicaginis* isolates from lucerne and chickpea. 545

Lisle AT. See Orr DM 795

Lobry de Bruyn LA, Kingston, TJ. Effects of summer irrigation and trampling in dairy pastures on soil physical properties and earthworm number and species composition. 1059

Lotfollahi M, Alston AM, McDonald GK. Effect of nitrogen fertiliser placement on grain protein concentration of wheat under different water regimes. 241

Ludwig C. See Palta JA 81

Mackay AD. See Easton HS 657

Macleod DA. See Conteh A 1049

MacLeod WJ, Sweetingham MW. A root disease of Lupinus angustifolius caused by a new species of binucleate Rhizoctonia. 21

Macmillan RH. See Henry DA 667

Magner T. See McCrabb GJ 323

Malau-Aduli AEO, Siebert BD, Bottema CDK, Pitchford WS. A comparison of the fatty acid composition of triacylglycerols in adipose tissue from Limousin and Jersey cattle. 715

Martin PR. See Miller SM 1121 Masters DG. See Mata G 1111

Mata G, Masters DG, Chamberlain NL, Young P. Production and glutathione responses to rumen-protected methionine in young sheep grazing dry pastures over summer and autumn. 1111

Maxwell DP. See Irwin JAG 181

May C. See McCrabb GJ 323

McCrabb GJ, Berger KT, Magner T, May C, Hunter RA. Inhibiting methane production in Brahman cattle by dietary supplementation with a novel compound and the effects on growth. 323

McDonald GK. See Fathi G 67. See Lotfollahi M 241

McKenzie BM. See Singh DK 675

McKenzie FR. Influence of grazing frequency and intensity on tiller appearance and death rates of *Lolium perenne* L. under subtropical conditions. 337

McKirdy SJ, Jones RAC. Further studies on the incidence of virus infection in white clover pastures. 31

Effect of sowing time on barley yellow dwarf virus infection in wheat: virus incidence and grain yield losses. 199

McLaughlin MJ. See Bell MJ 1151

McLay CDA, Barton L, Tang C. Acidification potential of ten grain legume species grown in nutrient solution. 1025

McNeill AM, Zhu C, Fillery IRP. Use of in situ ¹⁵N-labelling to estimate the total below-ground nitrogen of pasture legumes in intact soil-plant systems. 295

McNeill DM, Kelly RW, Williams IH. The partition of nutrients in ewes maintained in a moderate compared with a lean body condition in late pregnancy. 743

Insulin sensitivity and fetal growth in ewes maintained in a moderate body condition compared with a lean body condition in late pregnancy. 753

McPhee MJ, Ayres JF, Curll ML. Growth periodicity of introduced pastures on the northern tablelands of New South Wales. 831

Meinke H, Hammer GL. Forecasting regional crop production using SOI phases: an example for the Australian peanut industry. 789

Meinke H, Ryley M. Effects of sorghum ergot on grain sorghum production: a preliminary climatic analysis. 1241

Miller SM, Klieve AV, Plumb JJ, Aisthorpe R, Blackall LL. An in vitro cultured rumen inoculum improves nitrogen digestion in mulga-fed sheep. 403

Miller SM, Pritchard DA, Eady SJ, Martin PR. Polyethylene glycol is more effective than surfactants to enhance digestion and production in sheep fed mulga (Acacia aneura) under pen and paddock conditions. 1121

Montgomery GW, Kinghorn BP. Recent developments in gene mapping and progress towards marker-assisted selection in

sheep. 729

Morshedi AR. See Suenaga K 1207 Mullan BP. See Glencross BD 1099

Mullins JD. See Webley DJ 1249

Munier-Jolain NM, Ney B, Duthion C. Analysis of sequential reproductive development in white lupin cv. Lublanc. 913
 Munns R. See James RA 1231

Nachit M. See Yau SC 951

Nadler A, Heuer B. Soil moisture levels and their relation to water potentials of cotton leaves. 923

Newman EA. See Barnett JL 385

Ney B. See Munier-Jolain NM 913

Nguyen ML. See Goh KM 477

Nicolas ME. See Savin R 615, 625

Njeru R, Ferris DG, Jones RAC, Jones MGK. Studies on seed transmission of subterranean clover mottle virus and its detection in clover seed by ELISA and RT-PCR. 343

Oades JM. See Crawford MC 1139

Orr DM, Paton CJ. Using fire to manage species composition in Heteropogon contortus (black speargrass) pastures. 2. Enhancing the effects of fire with grazing management. 803

Orr DM, Paton CJ, Lisle AT. Using fire to manage species composition in Heteropogon contortus (black speargrass) pastures. 1. Burning regimes. 795

Palta JA, Ludwig C. Pod set and seed yield as affected by cytokinin application and terminal drought in narrow-leafed

Papineau J. See Hardy A 91

Park RF. Occurrence and identity of Puccinia graminis on wheat, barley, and grasses in Australia during summerautumn 1992-93. 999

Pate JS. See Armstrong EL 39. See Unkovich MJ 267 Pathipanawat W, Jones RAC, Sivasithamparam K. Factors influencing transmission of alfalfa mosaic virus through seed of annual medics (Medicago spp.) and the genetic control of seed transmission rate. 989

Paton CJ. See Orr DM 795, 803

Payne E, Watkins S. Effect of age, retinol, and cholecalciferol on carcass fat and adipocyte number and size in growing

Pearson CJ, Brown R, Collins WJ, Archer KA, Wood MS, Petersen C, Bootle B. An Australian temperate pastures database. 453

Penno NM. See Hynd PI 1089

Penrose LDJ. Prediction of ear emergence in winter wheats grown at Temora, New South Wales. 433

Petersen C. See Pearson CJ 453

Pitchford WS. See Malau-Aduli AEO 715

Pitt JI. See Webley DJ 1249 Plumb JJ. See Miller SM 403

Poile GJ. See Scott BJ 843 Preston KR, Quail KJ, Zounis S, Gras PW. No-time dough baking performance and mixing properties of Canadian Red Spring wheat cultivars using Canadian and Australian test

Pritchard DA. See Miller SM 1121

Quail KJ. See Preston KR 587

procedures. 587

Ram B, Chaudhary BS, Singh S. Response to indirect selection in ratoon of sugarcane seedlings. 207

Randles JW. See Jayasena KW 503

Reader MA, Dracup M, Atkins CA. Transient high temperatures during seed growth in narrow-leafed lupin (Lupinus angustifolius L.). I. High temperatures reduce seed weight. 1169.

II. Injuriously high pod temperatures are likely in Western Australia. 1179

Reddy GD. See Elliott DE 855, 869, 883, 899

Regan KL, Siddique KHM, Tennant D, Abrecht DG. Grain yield and water use efficiency of early maturing wheat in low rainfall Mediterranean environments. 595

Reuter DJ. See Elliott DE 855, 869, 883, 899

Rickert KG. See Bange MP 231

Ridley AM, White RE, Simpson RJ, Callinan L. Water use and drainage under phalaris, cocksfoot, and annual ryegrass pastures. 1011

Ritchie AJM. See Adams NR 1129

Roberts JR. See Gorman I 703

Robinson GR. See Walker SR 1003

Robson AD. See Braunberger PG 103

Rowe JB. See Ding Z 723

Royo C, Tribó F. Triticale and barley for grain and for dual-purpose (forage + grain) in a Mediterranean-type environment. I. Growth analyses. 411.

II. Yield, yield components, and quality. 423

Ru YJ, Fortune JA. Effect of cultivar and grazing intensity in spring on shear and compression energies of dry mature subterranean clover (Trifolium subterraneum L.). 1199

Ru YJ, Fortune JA, Belloti WD. Effect of cultivar, sowing time, and density on the growth of subterranean clover in winter. 977

Ryan J. See Yau SC 951

Ryley M. See Meinke H 1241

Sadras VO, Wilson LJ. Nitrogen accumulation and partitioning in shoots of cotton plants infested with two-spotted spider mites. 525

Sale PWG. See Singh DK 111, 119, 675.

See Lawson AR 811, 819

Sanford P. See Unkovich MJ 267

Savin R, Stone PJ, Nicolas ME, Wardlaw IF. Grain growth and malting quality of barley. 1. Effects of heat stress and moderately high temperature. 615.

2. Effects of temperature regime before heat stress. 625 Saxena MC. See Yau SC 945

Schneider B. See Davis RI 535

Scott BJ, Conyers MK, Poile GJ, Cullis BR. Subsurface acidity and liming affect yield of cereals. 843

Seaton KA, Cook DF, Hardie DC. The effectiveness of a range of insecticides against western flower thrips (Frankliniella occidentalis) (Thysanoptera: Thripidae) on cut flowers. 781

Sholeh. See Lefroy RDB 485

Sholeh, Lefroy RDB, Blair G. Effect of nutrients and elemental sulfur particle size on elemental sulfur oxidation and the growth of Thiobacillus thiooxidans. 497

Siddique KHM. See Regan KL 595

Siebert BD. See Malau-Aduli AEO 715

Simpson RJ. See Henry DA 667. See Ridley AM 1011

Sinclair BR. See Harris PM 137

Singh DK, Sale PWG. Defoliation frequency and the response by white clover to increasing phosphorus supply. 1. Leaf dry matter yield and plant morphology responses. 111.

2. Non-structural carbohydrate concentrations in plant parts. 119

Singh DK, Sale PWG, McKenzie BM. Water relations of white clover (Trifolium repens L.) in a drying soil, as a function of phosphorus supply and defoliation frequency. 675 Singh S. See Ram B 207

Sivasithamparam K. See Pathipanawat W 989

Smillie RM. See Damasco OP 377

Smith GM, White CL. A molybdenum-sulfur-cadmium interaction in sheep. 147

Smith MK. See Damasco OP 377

Smith RR. See Irwin JAG 181

Stone PJ. See Savin R 615, 625

Stork PR. Field leaching and degradation of atrazine in a gradationally textured alkaline soil. 371

Suenaga K, Morshedi AR, Darvey NL. Haploid production of Australian wheat (Triticum aestivum L.) cultivars through

wheat×maize (Zea mays L.) crosses. 1207

Swarbrick JT. See Tanpipar S 695

Sweetingham MW. See MacLeod WJ 21

Tang C. See McLay CDA 1025

Tanpipar S, Adkins SW, Swarbrick JT, Boersma M. Influence of selected environmental factors on glyphosate efficacy when applied to awnless barnyard grass (*Echinochloa colona* (L.) Link). 695

Taylor AC (the late). See Helyar KR 561

Taylor PWJ. See Ford R 1213

Tennant D. See Regan KL 595

Termanini A. See White PF 317

Thompson JP, Haak MI. Resistance to root-lesion nematode (*Pratylenchus thornei*) in *Aegilops tauschii* Coss., the D-genome donor to wheat. 553

Thompson RB, Fillery IRP. Transformation in soil and turnover to wheat of nitrogen from components of grazed pasture in the south of Western Australia. 1033

Treacher TT. See White PF 317

Treloar BP. See Harris PM 137

Tribó F. See Royo C 411, 423

Tuckey RC. See Glencross BD 1099

Unkovich MJ. See Armstrong EL 39

Unkovich MJ, Pate JS, Sanford P. Nitrogen fixation by annual legumes in Australian Mediterranean agriculture. 267

van Leur JAG, Alamdar MZ, Khawatmi S. Effect of common root rot (*Cochliobolus sativus*) on yields of barley under experimental conditions in northern Syria. 351

Villalta ON. See Clarke RG 191

Volaire F, Lelièvre F. Production, persistence, and watersoluble carbohydrate accumulation in 21 contrasting populations of *Dactylis glomerata* L. subjected to severe drought in the south of France. 933

Walker SR, Robinson GR, Hargreaves PA. Weed control with atrazine and chlorsulfuron is determined by herbicide availability and persistence in soils. 1003

Wardlaw IF. See Savin R 615, 625

Watkins S. See Payne E 7

Webley DJ, Jackson KL, Mullins JD, Hocking AD, Pitt JI.
Alternaria toxins in weather-damaged wheat and sorghum in the 1995-1996 Australian harvest. 1249

White CL. See Smith GM 147. See Davies SC 331

White CL, Kumagai H, Barnes MJ. The sulfur and selenium status of pregnant ewes grazing Mediterranean pastures. 1081

White PF, Treacher TT, Termanini A. Nitrogen cycling in a semi-arid Mediterranean zones: removal and return of nitrogen to pastures by grazing sheep. 317

White RE. See Ridley AM 1011

Williams IH. See Davies SC 331.

See McNeill DM 743, 753

Williamson PM. Black point of wheat: in vitro production of symptoms, enzymes involved, and association with Alternaria alternata. 13

Wilson JR, Hatfield RD. Structural and chemical changes of cell wall types during stem development: consequences for fibre degradation by rumen microflora. 165

Wilson LJ. See Sadras VO 525 Wood MS. See Pearson CJ 453

Wright GC. See Bell MJ 1151

Xia MZ. Effects of soil drought during the generative development phase on seed yield and nutrient uptake of faba bean (Vicia faba). 447

Xu Y. See Ding Z 723

Yau SC, Saxena MC. Variation in growth, development, and yield of durum wheat in response to high soil boron. I. Average effects. 945

Yau SC, Nachit M, Ryan J. Variation in growth, development, and yield of durum wheat in response to high soil boron. II. Differences between genotypes. 951

Young P. See Mata G 1111 Zhu C. See McNeill AM 295

Zounis S. See Preston KR 587